


Saltash Transport Strategy Development

Appendix A – Base Year Capacity
Maps

May 2017




Junction Capacity Key

Values equate to the ratio of flow through a junction divided by its capacity (RFC).

- < 85%
- ◆ 85% ≤ < 95%
- ▲ 95% ≤ < 105%
- 105% ≤

© Copyright Parsons Brinckerhoff 2011



CLIENT: PROJECT
**Cornwall Council:
 Core Strategy Modelling - Individual Town Models**

DRAFT

TITLE
Key Junctions: Saltash - 2010 - AM - Base



Carrick House,
 Pydar Street,
 Truro,
 TR1 1EB


Tel: (01872) 224 241
 Web: cornwall.gov.uk

**PARSONS
 BRINCKERHOFF**

The Forum, Barnfield Road, Exeter EX1 1QR
 Tel: (01392) 229 700 Web: pbworld.com

Figure 21

DATE	SCALE	PRODUCED	CHECKED	APPROVED
Aug-11	Not to Scale	JS	MR	KM



Junction Capacity Key

Values equate to the ratio of flow through a junction divided by its capacity (RFC).

- < 85%
- ◆ 85% ≤ < 95%
- ▲ 95% ≤ < 105%
- 105% ≤

CLIENT: PROJECT
**Cornwall Council:
 Core Strategy Modelling - Individual Town Models**

DRAFT

TITLE
Key Junctions: Saltash - 2010 - PM - Base



Carrick House,
 Pydar Street,
 Truro,
 TR1 1EB

Tel: (01872) 224 241
 Web: cornwall.gov.uk



The Forum, Barnfield Road, Exeter EX1 1QR
 Tel: (01392) 229 700 Web: pbworld.com

Figure 25

DATE	SCALE	PRODUCED	CHECKED	APPROVED
Aug-11	Not to Scale	JS	MR	KM

